

# Catalogue

Rev 06

*Rumag har siden oppstarten i 1970 opparbeidet seg en unik kompetanse innen sikkerhets- og informasjonsskiltning, både on- og offshore. Vår kompetanse strekker seg langt ut over det å levere et enkelt skilt, og vi lager komplette løsninger for store og små kunder i henhold til gjeldene lover og regler innen vårt fagfelt.*

*Et skilt er en del av den totale sammenhengen når det gjelder sikkerhet og informasjon, og må være helt korrekt. Vi påtar oss alle typer oppdrag, og utfører dem stort sett i hele verden om ønskelig. Vi leverer totalpakker inkludert: Engineering, design, produksjon, montasje og dokumentasjon.*

## om oss/ Rumag in brief

*Rumag has since 1970 acquired a unique expertise in safety- and information signage, both on- and offshore. Our expertise extends far beyond the delivery of a single sign. We create complete solutions for large and small customers in accordance with applicable laws and regulations within our field.*

*A sign is part of the overall context in terms of security and information, and must be absolutely correct. We undertake all types of assignments and perform them all over the world if desired. We provide complete packages including: engineering, design, manufacturing, installation and documentation.*

### **Kontakt / Contact:**

post@rumag.com

www.rumag.com

Tlf./ Phone: +47 51 44 33 00

*Vi tar forbehold om eventuelle trykkfeil*

*We make reservation for possible misprint*

Rev. 06

safety and emergency

fire

warning

mandatory

prohibition

information

warning-danger labels

IMO symbols

fixing accessories

miscellaneous

# safety and emergency

RE0001



Emergency exit  
(left hand)

RE0002



Emergency exit  
(right hand)

RE0003



First aid

RE0004



Emergency  
telephone

RE0005



Direction  
arrow straight

RE0006



Direction  
arrow angled

RE0007



Evacuation  
assembly point

RE0008



Break to obtain  
access

RE0009



Doctor

RE0010




Automated external  
heart defibrillator

RE0011



Eyewash station

RE0012




Safety shower

RE0013




Stretcher

RE1035



First aid  
equipment

RE0014



Child seat presence  
and orientation  
detection system  
(CPOD)

RE0015



Drinking water

RE0016



Emergency  
window with  
escape ladder

RE0017



Rescue window

RE0018



Turn anticlockwise  
to open

RE0019



Turn clockwise  
to open

RE0020



Emergency  
stop button

## Quality codes

Code -1 = Photoluminous signs for indoor use only

Code -2 = Reflective signs for outdoor use

## Price category for photoluminous/ reflective quality

Size 200 x 200 mm = I

Size 150 x 150 mm = F

Size 100 x 100 mm = E

Standard size: 200x200 mm, but can be supplied  
in any size desired

Can also be manufactured in PVC, aluminum,  
adhesive or V-shaped signs

<b>RE0022</b>  Door opens by pushing on the left-hand side	<b>RE0023</b>  Door opens by pushing on the right-hand side	<b>RE0024</b>  Evacuation temporary refuge	<b>RE0027</b>  Medical grab bag	<b>RE0028</b>  Oxygen resuscitator	<b>RE0029</b>  Emergency escape breathing device	<b>RE1029</b>  Breathing apparatus
<b>RE5015</b>  Smoke hood	<b>RE0031</b>  Shipboard general alarm	<b>RE0032</b>  Shipboard assembly station	<b>RE0033</b>  Sliding door right	<b>RE0034</b>  Sliding door left	<b>RE0035</b>  Liferaft knife	<b>RE0036</b>  Lifeboat
<b>RE1030</b>  Lifeboat	<b>RE0037</b>  Rescue boat	<b>RE0038</b>  Life raft	<b>RE0039</b>  Davit-launched life raft	<b>RE0040</b>  Lifebuoy	<b>RE0041</b>  Lifebuoy with line	<b>RE0042</b>  Lifebuoy with light
<b>RE0043</b>  Lifebuoy with light and line	<b>RE5009</b>  Lifebuoy with smoke, light and line	<b>RE0102</b>  Lifebuoy with smoke and light	<b>RE0044</b>  Lifejacket	<b>RE0045</b>  Child's lifejacket	<b>RE0046</b>  Infants's lifejacket	<b>RE0047</b>  SART - Search and rescue transponder

#### Quality codes

Code -1 = Photoluminous signs for indoor use only

Code -2 = Reflective signs for outdoor use

#### Price category for photoluminous/reflective quality

Size 200 x 200 mm = I

Size 150 x 150 mm = F

Size 100 x 100 mm = E

Standard size: 200x200 mm, but can be supplied in any size desired

Can also be manufactured in PVC, aluminum, adhesive or V-shaped signs

<b>RE0048</b>  Survival-craft distress signal	<b>RE0049</b>  Rocket parachute flares	<b>RE0050</b>  Line throwing appliance	<b>RE0051</b>  VHF radiotelephone apparatus	<b>RE0052</b>  EPIRB Emergency position indication radio beacon	<b>RE0053</b>  Embarkation ladder	<b>RE0054</b>  Marine evacuation slide
<b>RE0055</b>  Marine evacuation chute	<b>RE1174</b>  Personnel basket	<b>RE0056</b>  Survival clothing	<b>RE0057</b>  Door opens by pulling on the left-hand side	<b>RE0058</b>  Door opens by pulling on the right-hand side	<b>RE0059</b>  Escape ladder	<b>RE0060</b>  Evacuation chair
<b>RE1027</b>  Emergency torch	<b>RE1090</b>  Numbers - 0-9	<b>RE1091</b>  Letters - A-Z (Å)	<b>RE1178</b>  Shut-off valve	<b>RE5011</b>  Isolated grab hook	<b>RE1012</b>  Emergency stairs	<b>RE5032</b>  Helicopter
<b>RE5038</b>  Safety climbing equipment	<b>RE5042</b>  Blanket	<b>RE5043</b>  Grab bag	<b>RE0100</b>  Primary escape route	<b>RE0101</b>  Secondary escape route	<b>RE1101</b>  Utgang Exit	<b>RE1150</b>  Nødutgang Emergency Exit

#### Quality codes

Code -1 = Photoluminous signs for indoor use only

Code -2 = Reflective signs for outdoor use

#### Price category for photoluminous/ reflective quality

Size 200 x 200 mm = I

Size 150 x 150 mm = F

Size 100 x 100 mm = E

Standard size: 200x200 mm,  
but can be supplied in any size desired  
Can also be manufactured in PVC, aluminum,  
adhesive or V-shaped signs

RE1170

Må ikke  
blokkes  
Not to be  
blocked

RE5001

Beskyttelsesutstyr  
for kjemikalie  
håndtering  
Chemical  
Protection  
Equipment

RE5003

Sikkerhetsutstyr  
Safety Station  
Cabinet

RE5004

Oksygenflasker  
Medical  
Oxygen Bottles

RE5007

Rednings-  
utstyr  
Safety  
Station

RE5008

Pusteluft  
kompressor  
Breathing Air  
Recharge Unit

RE5014

Utstyrskabinett  
for MOB-båt  
MOB-boat  
Station Cabinet

RE5018

Evakuer platform  
APS  
Abandon Platform  
Shutdown

RE5020

Alternativ  
Rømningsvei  
Alternative  
Escape Way

RE5021

Redningsutstyr  
for helikopter  
Helicopter  
Crash  
Equipment

RE5026

Uttak kun for  
pusteluft  
Supply of  
Breathing Air  
only

RE5028

Rednings-  
luke  
Escape  
Hatch

RE5029

Vannette dører  
Skal være lukket  
Watertight doors  
Keep closed  
at sea

RE5031

Manuell  
stenging  
av utstyr  
Manual  
Equipment  
Shutdown

RE5039

Elektrisk  
sikkerhets-  
utstyr  
Electrical  
Safety Kit

RE5044

Utstyr for  
kjemisk  
utslipp  
Chemical  
Spill Kit

RE5046

Utstyr for  
oljesøl  
Oil  
Spill Kit

RE5050

Døråpner  
Door  
Release

#### Quality codes

Code -1 = Photoluminous signs for indoor use only

Code -2 = Reflective signs for outdoor use

#### Price category for photoluminous/ reflective quality

Size 200 x 200 mm = I

Size 150 x 150 mm = F

Size 100 x 100 mm = E

Standard size: 200x200 mm, but can be supplied  
in any size desired

Can also be manufactured in PVC, aluminum,  
adhesive or V-shaped signs

# fire

**RF0001**



Fire extinguisher

**RF0001W**



Fire extinguisher  
- Water

**RF0001P**



Fire extinguisher  
- Powder

**RF0001H**



Fire extinguisher  
- Gas - Not CO2  
and nitrogen

**RF0001F**



Fire extinguisher  
- Foam

**RF0001C**



Fire extinguisher  
- CO2

**RF0001A**



Fire extinguisher  
- AFFF

**RF0002**



Fire hose reel

**RF0002W**



Fire hose reel  
- Water

**RF0002P**



Fire hose reel  
- Powder

**RF0002F**



Fire hose reel  
- Foam

**RF0003**



Fire ladder

**RF0004**



Collection of  
firefighting  
equipment

**RF0005**



Fire alarm call  
point

**RF0006**



Fire emergency  
telephone

**RF0008**



Fixed fire  
extinguishing  
battery

**RF0009**



Wheeled fire  
extinguisher

**RF0009W**



Wheeled fire  
extinguisher  
- Water

**RF0009P**



Wheeled fire  
extinguisher  
- Powder

**RF0009H**



Wheeled fire  
extinguisher  
- Gas - Not CO2  
and nitrogen

**RF0009F**



Wheeled fire  
extinguisher  
- Foam

## Quality codes

Code -1 = Photoluminous signs for indoor use only

Code -2 = Reflective signs for outdoor use

## Price category for photoluminous/ reflective quality

Size 200 x 200 mm = I

Size 150 x 150 mm = F

Size 100 x 100 mm = E

Standard size: 200x200 mm,  
but can be supplied in any size desired  
Can also be manufactured in PVC, aluminum,  
adhesive or V-shaped signs

**RF0009C**



Wheeled fire extinguisher  
- CO2

**RF0009A**



Wheeled fire extinguisher  
- AFFF

**RF0010**



Portable applicator  
unit or relevant  
spare tank(s)

**RF0010F**



Portable foam  
applicator unit or  
relevant spare tank(s)

**RF0011**



Water fog  
applicator

**RF0012**



Fixed fire  
extinguishing  
installation

**RF0013**



Fixed fire  
extinguishing  
bottle

**RF0014**



Remote release  
station

**RF0015**



Fire monitor

**RF0015W**



Fire monitor  
- Water

**RF0015F**



Fire monitor  
- Foam

**RF0015A**



Fire monitor  
- AFFF

**RF0015P**



Fire monitor  
- PM

**RF0015FW**



Fire monitor  
- Foam & Water

**RF0100**



**RF2002**



Directional arrow  
straight

**RF2003**



Directional arrow  
angled

**RF2014**



Fire axe

**RF2015**



Smoke diving  
equipment

**RF2029**



Fire station  
Helicopter

**RF6034**



Fire blanket

**RF6071**



Hydrant

**RF6071FW**



Hydrant - F/W

**RF6071A**



Hydrant - A

**RF6071W**



Hydrant - W

**RF6071F**



Hydrant - F

**RF6098**



Hydrant with  
fire hose

**RF6107**



Alarm

### Quality codes

Code -1 = Photoluminous signs for indoor use only

Code -2 = Reflective signs for outdoor use

### Price category for photoluminous/ reflective quality

Size 200 x 200 mm = I

Size 150 x 150 mm = F

Size 100 x 100 mm = E

Standard size: 200x200 mm,  
but can be supplied in any size desired  
Can also be manufactured in PVC, aluminum,  
adhesive or V-shaped signs

RF6109



Pushbutton

RF6005

Manuell utløser  
for overrissing  
Manual Release  
Deluge

RF6006

Utløser  
vanntåkeanlegg  
Manual Release  
Water Mist

RF6010

Lokal strøm-  
utkobling  
Manual  
Electrical  
Isolation

RF6018

Fjernstyrt  
start av  
brannpumpe  
Remote Start  
Fire Pump

RF6042

Frityr  
Fat Fryer

RF6056

Nødutløser  
brannvann  
ERB  
Emergency  
Release Button  
Deluge

RF6057

NAS  
Nødavste ging  
ESD  
Em. Shut Down  
2.0

RF6074

Manuell  
stenging  
av utstyr  
Manual  
Equipment  
Shutdown

RF6075

NAS  
Nødavstenging  
ESD  
Emergency  
Shut Down

RF6077

Utløs  
Release  
Inergen

RF6078

Utløs  
Release  
APS

RF6079

Utløser  
for skum  
Manual  
Release  
Foam

RF6094

Døråpner  
Door  
Release

RF6096

Fjernstyrt  
monitor  
Remote  
Operated  
Monitor

RF6099

TPA  
TPS

Total platform  
shutdown

RF6100

Utløserstasjon  
flytende  
kjemikalier  
Release Station  
Wet Chemicals

RF6101

Manuell utløser  
inertgass  
Manual Release  
Inert Gas

RF6102

Nødutløser  
vanntåkeanlegg  
ERB  
Emergency  
Release Button  
Water Mist

RF6103

Nødutløser  
Skillebryter  
ERB  
Emergency  
Release Button  
Isolation Switch

RF6110

NAS  
Nødavstenging  
ESD  
Em. Shut Down  
1.0

RF6121

NAS  
Nødavstenging  
ESD  
Em. Shut Down  
2.1

RF6122

NAS  
Nødavstenging  
ESD  
Em. Shut Down  
2.2

RF6124

NAS  
Nødavstenging  
ESD  
Em. Shut Down  
2.4

RF6125

NAS  
Nødavstenging  
ESD  
Em. Shut Down  
2.5

RF6127

Inergen-  
beskyttet  
område  
Inergen  
Protected  
Area

### Quality codes

Code -1 = Photoluminous signs for indoor use only

Code -2 = Reflective signs for outdoor use

### Price category for photoluminous/ reflective quality






















Size 200 x 200 mm = I

Size 150 x 150 mm = F

Size 100 x 100 mm = E

Standard size: 200x200 mm,  
but can be supplied in any size desired  
Can also be manufactured in PVC, aluminum,  
adhesive or V-shaped signs

# warning

<b>RW0001</b>  General warning sign. This safety sign cannot be used on its own and requires a supplementary sign to give further information about the hazard	<b>RW0002</b>  Explosive material	<b>RW0003</b>  Radioactive material or ionizing radiation	<b>RW0004</b>  Laser beam	<b>RW0005</b>  Non-ionizing radiation	<b>RW0006</b>  Magnetic field	<b>RW0007</b>  Floor-level obstacle
<b>RW0008</b>  Drop (fall)	<b>RW0009</b>  Biological hazard	<b>RW0010</b>  Low temperature/ freezing conditions	<b>RW0011</b>  Slippery surface	<b>RW0012</b>  High voltage	<b>RW0013</b>  Guard dog	<b>RW0014</b>  Forklift trucks and other industrial vehicles
<b>RW0015</b>  Overhead load	<b>RW0016</b>  Toxic material	<b>RW0017</b>  Hot surface	<b>RW0018</b>  Automatic start-up	<b>RW0019</b>  Crushing	<b>RW0020</b>  Overhead ostracle	<b>RW0021</b>  Flammable material

## Quality codes

Code -3 = PVC quality for in- or outdoor use

## Price category for PVC quality

Size 200 x 200 mm = H

Standard size: 200x200 mm (unless otherwise stated), but can be supplied in any size desired

RW0022



Sharp element

RW0023



Corrosive substance

RW0024



Crushing of hands

RW0025



Counterrotating rollers

RW0026



Battery charging

RW0027



Optical radiation

RW0028



Oxidizing substance

RW0029



Pressurized cylinder

RW0030



Hand crushing between press brake tool

RW0031



Hand crushing between press brake and material

RW0032



Rapid movement of workpiece in press brake

RW0033



Barbed wire

RW0034



Bull

RW0035



Falling objects

RW0036



Fragile roof

RW0037



Run over by remote operator controlled machine

RW0038



Sudden loud noise

RW3002



Directional arrow straight

RW3003



Directional arrow angled

RW3007



Operating cranes

RW3011



Emergency Shut Down System

RW3019



Wet paint

RW3020




Watch step up

RW3021




Watch step down

RW8003



Elektromagnetisk stråling  
Electromagnetic radiation

RW8004




Syre og lut  
Acid and Lye

RW8011



Kald overflate  
Cold surface

RW8012



OBS! Klemfare  
Selvlukkende dør  
DANGER!  
Selfclosing door

### Quality codes

Code -3 = PVC quality for in- or outdoor use

### Price category for PVC quality

Size 200 x 200 mm = H

Standard size: 200x200 mm (unless otherwise stated), but can be supplied in any size desired


**RW8017**



**RW8018**



**RW8020**




**RW8022**



**RW8023**




**RW8036**



**RW8037**




**RW8038**



**RW8039**



**RW8049**



**RW3026**

210x300mm K



**RW3030**

300x100mm E



**RW3045**

300x100mm E



**RW3046**

210x300mm K



**RW3047**

210x300mm K



**RW3090**

300x100mm E



**RW3104**

300x100mm E



**RW3120**

300x100mm E




**RW3122**

210x300mm K




**RW3123**

300x100mm E




**RW3128**

300x100mm E



**RW3135**

300x100mm E



**RW3137**

300x100mm E



**RW3139**

300x100mm E



*Price category for PVC quality  
Size 200 x 200 mm = H*

*Standard size: 200x200 mm (unless otherwise stated),  
but can be supplied in any size desired  
Any letter behind size indicates price category*


<b>RW3141</b> 300x100mm E 	<b>RW3145</b> 300x100mm E 	<b>RW3147</b> 300x100mm E 	<b>RW3151</b> 300x100mm E 	<b>RW3155</b> 300x100mm E 	<b>RW3156</b> 300x100mm E 	<b>RW3161</b> 300x100mm E 
<b>RW3162</b> 300x100mm E 	<b>RW3169</b> 200x100mm K 	<b>RW3171</b> 210x300mm K 	<b>RW3175</b> 300x100mm E 	<b>RW3178</b> 300x100mm E 	<b>RW3192</b> 300x100mm E 	<b>RW3194</b> 300x100mm E 
<b>RW3198</b> 300x100mm E 	<b>RW3204</b> 300x100mm E 	<b>RW3207</b> 300x100mm E 	<b>RW3209</b> 300x100mm E 	<b>RW3211</b> 300x100mm E 	<b>RW3214</b> 300x100mm E 	<b>RW3219</b> 300x100mm E 
<b>RW3222</b> 300x100mm E 	<b>RW3380</b> 300x100mm E 	<b>RW3750</b> 450x250mm L 	<b>RW3751</b> 350x200mm L 	<b>RW3752</b> 300x100mm E 	<b>RW3753</b> 300x100mm E 	<b>RW3754</b> 300x100mm E 

**Price category for PVC quality**  
Size 200 x 200 mm = H

Standard size: 200x200 mm (unless otherwise stated),  
but can be supplied in any size desired  
Any letter behind size indicates price category


RW3755

210x300mm K




RW3756

210x300mm K




RW3757

200x100mm E



RW3758

550x250mm M




RW3770

210x300mm K




RW3771

210x300mm K



RW3772

210x300mm K



Triangular

Photoluminous (for indoor use only)

RW3700

200x180mm H



RW3701

200x180mm H



RW3702

200x180mm H




RW3703

200x180mm H



RW3704

200x180mm H



RW3705

200x180mm H




RW3706

200x180mm H




PVC sign


RW4270



RW4271



RW8049



Nødvendig prosedyre ved elektriske ulykker,  
size 210x300 mm

Necessary procedures with elctrical acidents,  
English, size 210x300 mm

250x650 mm

# mandatory

**RM0001**




General mandatory action sign, cannot be used on its own and requires a supplementary sign to give further information about the action to be taken

**RM0002**




Refer to instruction manual/booklet

**RM0003**




Wear ear protection

**RM0004**




Wear eye protection

**RM0005**




Connect an earth terminal to the ground

**RM0006**



Disconnect mains plug from electrical outlet

**RM0007**



Opaque eye protection must be worn

**RM0008**



Wear safety footwear

**RM0009**




Wear protective gloves

**RM0010**



Wear protective clothing

**RM0011**



Wash your hands

**RM0012**



Use handrail

**RM0013**



Wear a face shield

**RM0014**



Wear head protection

**RM0015**




Wear high-visibility clothing

**RM0016**



Wear a mask

**RM0017**



Wear respiratory protection

**RM0018**




Wear safety harness

**RM0019**



Wear a welding mask

**RM0020**



Wear safety belts

**RM0021**



Disconnect before carrying out maintenance or repair

## Quality codes

Code -3 = PVC quality for in- or outdoor use

## Price category for PVC quality

Size 200 x 200 mm = H

Standard size: 200x200 mm (unless otherwise stated), but can be supplied in any size desired

<b>RM0022</b>  Use barrier cream	<b>RM0023</b>  Use footbridge	<b>RM0024</b>  Use this walkway	<b>RM0025</b>  Protect infants' eyes with opaque eye protection	<b>RM0026</b>  Use protective apron	<b>RM0027</b>  Check guard	<b>RM0028</b>  Keep locked
<b>RM0029</b>  Sound horn	<b>RM0030</b>  Use litter bin	<b>RM0031</b>  Use table saw adjustable guard	<b>RM0032</b>  Wear anti-static footwear	<b>RM0033</b>  Close safety bar of chairlift	<b>RM0034</b>  Open safety bar of chairlift	<b>RM0035</b>  Immediately leave the tow-track in the event of falling
<b>RM0036</b>  Lift ski tips	<b>RM0037</b>  Close and secure hatches in launch sequence	<b>RM0038</b>  Start engine in launch sequence	<b>RM0039</b>  Lower lifeboat to the water in launch sequence	<b>RM0040</b>  Lower liferaft to the water in launch sequence	<b>RM0041</b>  Lower rescue boat to the water in launch sequence	<b>RM0042</b>  Release falls in launch sequence
<b>RM0043</b>  Start water spray in launch sequence	<b>RM0044</b>  Start air supply in launch sequence	<b>RM0045</b>  Release lifeboat gripes in launch sequence	<b>RM0046</b>  Secure gas cylinders	<b>RM0047</b>  Use self-contained breathing appliance	<b>RM0048</b>  Use gas detector	<b>RM0049</b>  Wear protective roller sport equipment















#### Quality codes

Code -3 = PVC quality for in- or outdoor use

#### Price category for PVC quality

Size 200 x 200 mm = H

Standard size: 200x200 mm (unless otherwise stated), but can be supplied in any size desired

<b>RM7039</b>  Use tag lines	<b>RM7004</b>  Use ear plugs	<b>RM7015</b>  Use shoe protection	<b>RM7017</b>  Use personnel protective equipment	<b>RM7021</b>  Use double ear protection	<b>RM7041</b>  Påbudt med dobbelt hørselvern Double hearing protection required	<b>RM7025</b>  Påbudt med dobbelt hørselvern <small>Ved opphold over 10 minutter skal både øreskåtter og ørepropper benyttes.</small> 300x210 mm M
<b>RM7032</b>  Påbudt med dobbelt hørselvern <small>Ved opphold over 10 minutter skal både øreskåtter og ørepropper benyttes.</small>	<b>RM4323</b> 300x100mm E <b>RM4324</b> 450x150mm H  Påbudt med hjelm	<b>RM4325</b> 300x100mm E <b>RM4326</b> 450x150mm H  Påbudt med vernefottøy	<b>RM4327</b> 300x100mm E <b>RM4328</b> 450x150mm H  Påbudt med øyevern	<b>RM4333</b> 300x100mm E <b>RM4334</b> 450x150mm H  Påbudt med hørselvern	<b>RM4335</b> 300x100mm E <b>RM4336</b> 450x150mm H  Påbudt med støvmaske	<b>RM7014</b> 300x100mm E <b>RM7042</b> 450x150mm H  Påbudt med skoovertrekk

#### Quality codes

Code -3 = PVC quality for in- or outdoor use

#### Price category for PVC quality

Size 200 x 200 mm = H

Standard size: 200x200 mm (unless otherwise stated),  
but can be supplied in any size desired  
Any letter behind size indicates price category

# prohibition

**RP001**



General prohibition sign, cannot be used on its own and requires a supplementary sign to give further information about the action which is prohibited

**RP008**



No metallic articles or watches

**RP015**



No reaching in

**RP002**



No smoking

**RP009**



No climbing

**RP016**



Do not spray with water

**RP003**



No open flame;  
Fire, open ignition source and smoking prohibited

**RP010**



Do not touch

**RP017**



No pushing

**RP004**



No thoroughfare

**RP011**



Do not extinguish with water

**RP018**



No sitting

**RP005**



No drinking water

**RP012**



No heavy load

**RP019**



No stepping on surface

**RP006**



No access for forklift trucks and other industrial vehicles

**RP013**



No activated mobile phone

**RP020**



Do not use lift in the event of fire

**RP007**



No access for people with active implanted cardiac devices

**RP014**



No access for people with metallic implant

**RP021**



No dogs

## Quality codes

Code -3 = PVC quality for in- or outdoor use

## Price category for PVC quality

Size 200 x 200 mm = H


Standard size: 200x200 mm (unless otherwise stated), but can be supplied in any size desired

RP022



No eating or drinking

RP023



Do not obstruct

RP024



Do not walk or stand here

RP025



Do not use this incomplete scaffold

RP026



Do not use this device in a bathtub, shower or water-filled reservoir

RP027




Do not use this lift for people

RP028



Do not wear gloves

RP029



No photography

RP030



Do not tie knots in rope

RP031



Do not alter the state of the switch

RP032




Do not use for face grinding

RP033



Do not use for wet grinding

RP034



Do not use with hand-held grinding machine

RP035



Do not wear metal-studded footwear

RP036



No children allowed

RP037



Do not leave the tow-track

RP038



Do not swing the chair

RP039



Hot works prohibited

RP3052



No entrance

RP3059



No safety boots

RP3060



No fishing

RP3065




No running

RP3067



No swimming

RP3068



Anchoring prohibited

RP3069



Bare feet prohibited

RP3070



No rollerskates

RP3071



No skateboard

RP8059



Do not throw waste at sea

### Quality codes

Code -3 = PVC quality for in- or outdoor use

### Price category for PVC quality

Size 200 x 200 mm = H

Standard size: 200x200 mm (unless otherwise stated), but can be supplied in any size desired

**RP8060**



No dirty clothes

**RP8061**



No heavy lifting

**RP8050**

Ingen adgang  
når kran er i drift  
No entry if crane  
is in operation

**RP8055**

Kun for autorisert  
personell  
Authorized  
personnel only

**RP8057**

Ingen adgang  
uten arbeidstillatelse  
No admission  
without a work permit

**RP8058**

Begrenset adgang  
opphold kun med  
tillatelse fra CCR  
Restricted access  
Access only with  
permission from CCR

**RP3227**


300x100mm E



Røyking  
forbudt

**RP3237**

300x100mm E



Uvedkommende  
ingen adgang

**RP3240**

300x100mm E



Adgang forbudt

**RP3272**


300x100mm E



Parkering  
forbudt

**RP3350**

300x100mm E



Røyking forbudt  
No smoking

**Quality codes**

Code -3 = PVC quality for in- or outdoor use

**Price category for PVC quality**

Size 200 x 200 mm = H

Standard size: 200x200 mm (unless otherwise stated),  
but can be supplied in any size desired  
Any letter behind size indicates price category

# information

<b>RN4002</b>  Direction arrow straight	<b>RN4003</b>  Direction arrow angled	<b>RN4004</b>  Womens restroom	<b>RN4005</b>  Mens restroom	<b>RN4006</b>  Restroom	<b>RN4007</b>  Handicapped	<b>RN4008</b>  Bedrom - Cabin
<b>RN4009</b>  Nursery	<b>RN4010</b>  Waiting room	<b>RN4012</b>  Smoking	<b>RN4013</b>  Trash	<b>RN4014</b>  Telephone	<b>RN4015</b>  Coffee shop	<b>RN4016</b>  Restaurant
<b>RN4018</b>  Wardrobe	<b>RN4019</b>  Broom closet	<b>RN4020</b>  Swimming	<b>RN4023</b>  Ticket purchase	<b>RN4024</b>  Kiosk	<b>RN4027</b>  Baggage claim	<b>RN4028</b>  Baggage lockers

## Quality codes

Code -3 = PVC quality for in- or outdoor use

## Price category for PVC quality

Size 200 x 200 mm = H

Standard size: 200x200 mm (unless otherwise stated),  
but can be supplied in any size desired

<b>RN4032</b>  Elevator	<b>RN4033</b>  Bed elevator	<b>RN4034</b>  Stairs	<b>RN4044</b>  Air transportation	<b>RN4045</b>  Helicopter transportation	<b>RN4047</b>  Water transportation	<b>RN4048</b>  Drinking water
<b>RN4050</b>  Lounge	<b>RN4051</b>  Gymnasium	<b>RN4052</b>  TV Room	<b>RN4054</b>  Hand wash	<b>RN4060</b>  Hospital	<b>RN4091</b>  Vending machine	<b>RN4092</b>  Drinking Fountain
<b>RN4095</b>  Sauna	<b>RN4096</b>  Playroom	<b>RN4099</b>  Conference Room	<b>RN4104</b>  Pets on leash	<b>RN4118</b>  Laundry	<b>RN4119</b>  Shops	<b>RN4130</b>  Check-in registration
<b>RN4131</b>  Shower	<b>RN4202</b>  Immigration	<b>RN4471</b>  Spinning	<b>RN4554</b>  Treadmill	<b>RN4555</b>  Wardrobe Women	<b>RN4556</b>  Wardrobe Men	<b>RN4203</b>  Copy

#### Quality codes

Code -3 = PVC quality for in- or outdoor use

#### Price category for PVC quality

Size 200 x 200 mm = H

Standard size: 200x200 mm (unless otherwise stated),  
but can be supplied in any size desired

**RN4204**



Music

**RN4213**



Ladder

**RN4297**

300x100mm E

Sett verktøy på  
plass etter bruk

**RN4300**

300x100mm E

Hold arbeidsbenken  
ryddig

**RN4310**

300x100mm E

Røyking tillatt

**RN4352**

300x100mm E

Området er  
TV- overvåket

**RN4353**

300x100mm E

Tavlerom

**RN4354**

300x100mm E

EL-tavle

**RN4355**

300x100mm E

Området er  
Video-overvåket

**RN4405** 280x90mm H

**RN4406** 120x60mm D

Røyking  
tillatt

**Quality codes**

Code -3 = PVC quality for in- or outdoor use

**Price category for PVC quality**

Size 200 x 200 mm = H

Standard size: 200x200 mm (unless otherwise stated),  
but can be supplied in any size desired  
Any letter behind size indicates price category

# warning-danger labels

**RW2000** 100x100mm  
**RW2001** 300x300mm



**RW2002** 100x100mm  
**RW2003** 300x300mm



**RW2004** 100x100mm  
**RW2005** 300x300mm



**RW2006** 100x100mm  
**RW2007** 300x300mm



**RW2008** 100x100mm  
**RW2009** 300x300mm



**RW2010** 100x100mm  
**RW2011** 300x300mm



**RW2012** 100x100mm  
**RW2013** 300x300mm



**RW2014** 100x100mm  
**RW2015** 300x300mm



**RW2016** 100x100mm  
**RW2017** 300x300mm



**RW2018** 100x100mm  
**RW2019** 300x300mm



**RW2020** 100x100mm  
**RW2021** 300x300mm



**RW2022** 100x100mm  
**RW2023** 300x300mm



**RW2024** 100x100mm  
**RW2025** 300x300mm



**RW2026** 100x100mm  
**RW2027** 300x300mm



**RW2200** 100x100mm  
**RW2230** 300x300mm



Nr.1

**RW2201** 100x100mm  
**RW2231** 300x300mm



Nr.1.4

**RW2202** 100x100mm  
**RW2232** 300x300mm



Nr.1.5

**RW2203** 100x100mm  
**RW2233** 300x300mm



Nr.1.6

**RW2204** 100x100mm  
**RW2234** 300x300mm



Nr.01

**RW2205** 100x100mm  
**RW2235** 300x300mm



Nr.2

**RW2206** 100x100mm  
**RW2236** 300x300mm



Nr.2

*Price category for self- adhesive quality*

*Size 100 x 100 mm = A*

*Size 300 x 300 mm = C*

**RW2200** 100x100mm  
**RW2230** 300x300mm



Nr.3

**RW2200** 100x100mm  
**RW2230** 300x300mm



Nr3

**RW2200** 100x100mm  
**RW2230** 300x300mm



Nr.4.1

**RW2200** 100x100mm  
**RW2230** 300x300mm



Nr.4.2

**RW2200** 100x100mm  
**RW2230** 300x300mm



Nr.4.3

**RW2200** 100x100mm  
**RW2230** 300x300mm



Nr.4.3

**RW2200** 100x100mm  
**RW2230** 300x300mm



Nr.5.1

**RW2014** 100x100mm  
**RW2015** 300x300mm



Nr.5.2

**RW2016** 100x100mm  
**RW2017** 300x300mm



Nr 0.5

**RW2018** 100x100mm  
**RW2019** 300x300mm



Nr.6.1

**RW2020** 100x100mm  
**RW2021** 300x300mm



Nr.6.2

**RW2022** 100x100mm  
**RW2023** 300x300mm



Nr.7A

**RW2024** 100x100mm  
**RW2025** 300x300mm



Nr.7B

**RW2026** 100x100mm  
**RW2027** 300x300mm



Nr.7C

**RW2014** 100x100mm  
**RW2015** 300x300mm



Nr.7D

**RW2016** 100x100mm  
**RW2017** 300x300mm



Nr.1.4

**RW2018** 100x100mm  
**RW2019** 300x300mm



Nr.1.5

**RW2020** 100x100mm  
**RW2021** 300x300mm



Explosive

**RW2022** 100x100mm  
**RW2023** 300x300mm



Fire hazard

**RW2024** 100x100mm  
**RW2025** 300x300mm



Oxidizing qualities

**RW2026** 100x100mm  
**RW2027** 300x300mm



Gas under pressure

**RW2018** 100x100mm  
**RW2019** 300x300mm



Corrosive

**RW2020** 100x100mm  
**RW2021** 300x300mm



Acute health hazards

**RW2022** 100x100mm  
**RW2023** 300x300mm



Other health hazards

**RW2024** 100x100mm  
**RW2025** 300x300mm



Chronic health hazards

**RW2026** 100x100mm  
**RW2027** 300x300mm



Environmental hazards



## Warning and marking tape

Efficient highlighting of areas, installations and objects.

**Art.V2100J** Red/ white for fire protection equipment.  
**Art.V2101J** Green/ white for first aid and rescue stretchers.  
**Art.V2102J** Black/ yellow for the prohibited zones, protruding construction details, moving equipment etc.

## Price category for self- adhesive quality


Size 100 x 100 mm = A  
Size 300 x 300 mm = C

## Warning and marking tape

Available in rolls of 5cmx33m.

Any letter behind size indicates price category






























































# Fire control plan



Example of Fire Control Plan with IMO symbols  
Spitsbergen drill rig


## IMO symbols for plotting on Fire Control Plans

A-class division	B-class division	Main vertical zone	A-class hinged fire door	A-class hinged watertight fire door	A-class hinged semi-watertight fire door	B-class hinged fire door	B-class hinged watertight fire door	B-class hinged semi-watertight fire door	A-class hinged self-closing fire door	A-class hinged watertight self-closing fire door	A-class hinged semi-watertight self-closing fire door	B-class hinged self-closing fire door	B-class hinged watertight self-closing fire door
B-class hinged semi-watertight self-closing fire door	A-class sliding fire door	A-class sliding watertight fire door	A-class sliding semi-watertight fire door	B-class sliding fire door	B-class sliding watertight fire door	B-class sliding semi-watertight fire door	A-class sliding self-closing fire door	A-class sliding watertight self-closing fire door	A-class sliding semi-watertight self-closing fire door	B-class sliding self-closing fire door	B-class sliding watertight self-closing fire door	B-class sliding semi-watertight self-closing fire door	Ventilation remote control or shut-off for accommodation and service spaces
Ventilation remote control or shut-off for machinery spaces	Ventilation remote control or shut-off for cargo spaces	Remote control for skylight	Remote control for watertight doors	Remote control for fire doors	Fire damper for accommodation and service spaces	Fire damper for machinery spaces	Fire damper for cargo spaces	Closing device for ventilation inlet or outlet for accommodation and service spaces	Closing device for ventilation inlet or outlet for machinery spaces	Closing device for ventilation inlet or outlet for cargo spaces	Remote control for fire damper(s) for accommodation and service spaces	Remote control for fire damper(s) for machinery spaces	Remote control for fire damper(s) for cargo spaces
Remote control for closing device(s) for ventilation inlet and outlet for accommodation and service spaces	Remote control for closing device(s) for ventilation inlet and outlet for machinery spaces	Remote control for closing device(s) for ventilation inlet and outlet for cargo spaces	Fire protection appliances or structural fire protection plan	Remote control for fire pump(s)	Fire pump(s)	Remote control for emergency fire pump or fire pump supplied by the emergency source of power	Emergency fire pump	Fuel pump(s) remote shut-off	Lube oil pump(s) remote shut-off	Remote control for bilge pump(s)	Remote control for emergency bilge pump	Remote control for fuel oil valves	Remote control for lube oil valves
Remote control for fire pump valves	Remote release station for carbon dioxide	Remote release station for nitrogen	Remote release station for gas other than carbon dioxide or nitrogen	Remote release station for foam	Remote release station for powder	Remote release station for water	International shore connection	Fire hydrant	Fire hydrant, foam / water	Fire main section valve	Sprinkler section valve	Powder section valve	Foam section valve

													
Foam / water section valve	Fixed carbon dioxide fire-extinguishing installation	Fixed nitrogen fire-extinguishing installation	Fixed gas (other than carbon dioxide or nitrogen) fire-extinguishing installation	Fixed foam fire-extinguishing installation	Fixed powder fire-extinguishing installation	Fixed powder fire-extinguishing installation	Fixed carbon dioxide fire-extinguishing battery	Fixed nitrogen fire-extinguishing battery	Fixed gas (other than carbon dioxide or nitrogen) fire-extinguishing battery	Fixed foam fire-extinguishing battery	Fixed powder fire-extinguishing battery	Fixed water fire-extinguishing battery	Fixed carbon dioxide fire-extinguishing bottle, placed in protected area
													
Fixed nitrogen fire-extinguishing bottle, placed in protected area	Fixed gas (other than carbon dioxide or nitrogen) fire-extinguishing bottle, placed in protected area	Fixed foam fire-extinguishing bottle, placed in protected area	Fixed powder fire-extinguishing bottle, placed in protected area	Fixed water fire-extinguishing bottle, placed in protected area	High-expansion foam supply trunk (outlet)	Water spray system valves	Inert gas installation	Foam monitor	Powder monitor	Water monitor	Foam fire hose and nozzle	Powder fire hose and nozzle	Water fire hose and nozzle
													
Carbon dioxide fire-extinguisher	Gas (other than carbon dioxide or nitrogen) fire-extinguisher	Foam fire-extinguisher	Powder fire-extinguisher	Water fire-extinguisher	Wheeled carbon dioxide fire-extinguisher	Wheeled gas (other than carbon dioxide or nitrogen) fire-extinguisher	Wheeled foam fire-extinguisher	Wheeled powder fire-extinguisher	Wheeled water fire-extinguisher	Portable foam applicator unit or relevant spare tank(s)	Fire locker	Space or group of spaces protected by carbon dioxide fire-extinguishing system	Space or group of spaces protected by gas (other than carbon dioxide) fire-extinguishing system
													
Space or group of spaces protected by foam fire-extinguishing system	Space or group of spaces protected by powder fire-extinguishing system	Space or group of spaces protected by water fire-extinguishing system	Space or group of spaces protected by sprinkler or high-pressure water fire-extinguishing system	Water fog applicator	Emergency source of electrical power (generator)	Emergency source of electrical power (battery)	Emergency switchboard	Air compressor for breathing devices	Control panel for fire detection and alarm system	Push button/switch for general alarm	Manually operated call point	Space or group of spaces monitored by smoke detector(s)	Space or group of spaces monitored by heat detector(s)
													
Space or group of spaces monitored by flame detector(s)	Space monitored by gas detector(s)	Primary escape route	Secondary escape route	Emergency escape breathing device (EEBD)									

# fixing accessories


## Aluminium sign profile



### RUMAG-PR1

Single-sided for wall mounting  
Fixed with glue / tape

(\*optional, can be fixed with screws)



### RUMAG-PR4


For mounting to handrail / sign pipe  
with clamps

Size: Hight 200mm  
Length optional

## Brackets


### RUMAG-SU-04

Bracket with bend  
on short side  
For wall or ceiling,  
various length




### RUMAG-SU-05

Bracket with bend  
on long side  
For wall or ceiling,  
various length




### RUMAG-SU-07


V-shaped bracket  
For wall



## Sign pipe




RUMAG-SU-01



RUMAG-SU-06

*Stainless steel*


## Lexan frames



Top frame  
200x200 mm E




**L5000**  
Basic frame  
200x200 mm G




**L5010**  
Pipe bracket  
200x120 mm G


### Fixing of sign to sign pipe




Drill holes in sign-pipe



Fixing of basic frame to pipe-bracket




Top frame and bracket, fixed to  
sign-pipe with screws or pop-rivets




Sign and top frame fixed to  
basic frame


### Fixing of sign to lexan frame



Fixing of top frame to sign




Top frame and sign fixed to  
basic frame



Complete sign with frame

## Examples of Safety- Orientation- and Fire Control Plans



# miscellaneous

## Laser engraving



Laser engraved stainless steel



Laser engraved stainless steel matt




Trafolyte- engraved plastic sign


## Marking on pipes



Self adhesive on roll



Sign profiles w/ replaceable text



Pipe strap to attach the sign profiles

## Marking



Packing tape



Tags



Barrier tape

## Car wrapping



## Building / Information Signage



Window decor, frosted film



Frosted film with print



LED sign



Logo signs w/ LED-light



Totem w/ LED lights




Information panels



# Rumag

[www.rumag.com](http://www.rumag.com)



**RUMAG SKILT OG REKLAME AS** - Godesetdalen 20 - N-4034 Stavanger / PO Box 500, Sentrum - N-4003 Stavanger - Norway  
post@rumag.com - Phone +47 51 44 33 00 - [www.rumag.com](http://www.rumag.com)